Index of Authors

ALABI, S. O. *see* OMOIGUI, L. O.
ALLEN, E. J. *see* STALHAM, M. A.
ANDRALOJC, P. J. *see* PARRY, M. A. J.
ANNICCHIARICO, P. Winter survival of pea, faba bean and white lupin cultivars in contrasting Italian locations and sowing times, and implications for selection, 611
APOSTOLIDES, G. E. *see* DORDAS, C.
ARNALL, D. B. *see* GIRMA, K.
ATREJA, P. P. *see* GHOSH, M. K.

BANDYOPADHYAY, S. *see* GHOSH, M. K.
BEED, F. D. Predictability of wheat growth and yield in light-limited conditions, 63
BENNETT, R. *see* MORSE, S.
BENNETT, S. J. The importance of time of spraying, desiccant type and harvest time on industrial fibre production from stand-retted fibre flax (*Linum usitatissimum*), 565
BISHOP, S. C. *see* VAGENAS, D.
BRAUN, H. J. *see* REYNOLDS, M. P.
BRAYSON, K. L. *see* BENNETT, S. J.
BRENNAN, J. P. An economic assessment of the use of physiological selection for stomatal aperture-related traits in the CIMMYT wheat breeding programme, 187
BREUSTEDT, G. *see* HENKE, J.
BROWNE, M. P. X-ray diffraction patterns and anatomical properties of claw tissues of been and dairy cattle, 623
BURAGOHAIN, R. *see* GHOSH, M. K.

CALDERINI, D. *see* REYNOLDS, M.
CARVALHO, J. F. C. *see* PARRY, M. A. J.
CHAIYABUTR, N. Effects of long-term exogenous bovine somatotropin on water metabolism and milk yield in crossbred Holstein cattle, 173
CHANPONGSANG, S. *see* CHAIYABUTR, N.
CHIEZEY, U. F. *see* EWANSIHA, S. U.
CONDON, A. G. *see* BRENNAN, J. P.
CONDON, A. *see* REYNOLDS, M.
CORRE-HELLOU, G. *see* GOODING, M. J.
CRAUFURD, P. Q. *see* MLIGO, J. K.
CROSSA, J. *see* VARGAS, M.
CROZAT, Y. *see* GOODING, M. J.
CUDDEFORD, D. *see* SMITH, D. G.

DAHLMANN, C. *see* GOODING, M. J.
DANESH MESGARAN, M. *see* FATHI NASRI, M. H.
DE HARO-BAILÓN, A. *see* DEL RIO-CELESTINO, M.
DEL RIO-CELESTINO, M. Inheritance of high oleic acid content in the seed oil of mutant Ethiopian mustard lines and its relationship with erucic acid content, 353
DHUNGANA, P. *see* VARGAS, M.
DIAS, R. S. Phosphorus kinetics in lambs fed different levels of dicalcium phosphate, 509
DIBET, A. *see* GOODING, M. J.
DIMMOCK, J. P. R. E. *see* BENNETT, S. J.
DIXON, J. U-impact pathway for diagnosis and impact assessment of crop improvement, 195
DORDAS, C. Boron application affects seed yield and seed quality of sugar beets, 377

EDWARDS-JONES, G. *see* BENNETT, S. J.
ENDRES, G. J. *see* RANSOM, J. K.
ERENSTEIN, O. *see* DIXON, J.
ESKRIDGE, K. M. *see* VARGAS, M.
EWANSIHA, S. U. Potential of *Lablab purpureus* accessions for crop-livestock production in the West African savanna, 229

FATHI NASRI, M. H. Effect of raw or roasted whole soybeans on early lactational performance and ruminal and blood metabolites in Iranian cows, 529
FISCHER, R. A. Understanding the physiological basis of yield potential in wheat, 99
FONT, R. *see* DEL RIO-CELESTINO, M.
FOULKES, M. J. Genetic progress in yield potential in wheat: recent advances and future prospects, 17
FRANCE, J. *see* DIAS, R. S.
FRANCE, J. *see* FATHI NASRI, M. H.
FROUD-WILLIAMS, R. J. *see* SIM, L. C.
FROUD-WILLIAMS, R. J. *see* SIM, L. C.

GAJU, O. *see* FOULKES, M. J.
GALBRAITH, H. *see* BROWNE, M. P.
GALBRAITH, H. *see* HEPBURN, N. L.
GALIOTOU-PANAYOTOU, M. *see* SYMEOU, E.
GARCIA, V. *see* LAURENTIN, H.
GHOSH, M. K. Influence of short-term *Leucaena leucocephala* feeding on milk yield and its composition, thyroid hormones, enzyme activity, and secretion of mimosine and its metabolites in milk of cattle, 407
GILLEN, E. *see* SMITH, D. G.
GIRMA, K. Improving estimation of N top-dressing by addressing temporal variability in winter wheat, 45
GOODING, M. J. Intercropping with pulses to concentrate nitrogen and sulphur in wheat, 469
GOODING, M. J. *see* SIM, L. C.
GOODING, M. J. *see* SIM, L. C.
GOSWAMI, T. K. *see* PATTANAIK, A. K.
GOUNDRA, O. *see* DORDAS, C.
GUPTA, R. Conservation agriculture in South Asia, 207

HANNUKKALA, A. *see* PELTONEN-SAINIO, P.
HAUGGAARD-NIELSEN, H. *see* GOODING, M. J.
HELLIN, J. *see* DIXON, J.
HENDRY, K. A. K. *see* BROWNE, M. P.

Henke, J. Impact of uncertainty on the optimum nitrogen fertilization rate and agronomic, ecological and economic factors in an oilseed rape based crop rotation, 455
Hepburn, N. L. Pigmentation, impression hardness and the presence of melanosomes in bovine claw tissue, 283
Herry, F. X. *see* Stalham, M. A.
Hobbs, P. Conservation Agriculture: What is it and why is it important for future sustainable food production, 127
Hobbs, P. R. *see* Reynolds, M. P.
Hodson, D. P. Use of spatial analyses for global characterization of wheat-based production systems, 115
Hollands, T. *see* Smith, D. G.
Hukins, D. W. L. *see* Browne, M. P.

Iannucci, A. *see* Annicchiarico, P.
Ismael, Y. *see* Morse, S.
Iwuafor, E. N. O. *see* Ewansiha, S. U.

Jafari, A. Genetic variation and correlation among yield and quality traits in cocksfoot (*Dactylis glomerata* L.), 599
Jaggard, K. W. The impact of climate change on sugarbeet yield in the UK: 1976–2004, 367
Jauhiainen, L. *see* Peltonen-Sainio, P.
Jensen, E. S. *see* Gooding, M. J.
Jess, S. A. Survey of annual pesticide usage during the control of sheep ectoparisites in Northern Ireland, 2005, 517
Ji, B. Artificial neural networks for rice yield prediction in mountainous regions, 249
Johnson, L. *see* Bennett, S. J.

Kage, H. *see* Henke, J.
Kamara, A. Y. *see* Omoigui, L. O.
Kasyanova, E. *see* Gooding, M. J.
Kauppila, R. *see* Rajala, A.
Kearns, C. *see* Jess, S.
Kebreab, E. *see* Dias, R. S.
Kebreab, E. *see* Fathi Nasri, M. H.
Kechagia, D. *see* Symeou, E.
Kemp, D. R. Towards sustainable grassland and livestock management, 543
Khan, S. A. *see* Pattanaik, A. K.
King, K. W. Nitrate and ammonium losses from surface-applied organic and inorganic fertilizers, 385
Kinninmonth, L. *see* Hepburn, N. L.
Kleemola, J. *see* Rajala, A.
Knight, C. H. *see* Browne, M. P.
Komolvanich, S. *see* Chaiyabutr, N.
Kosina, P. *see* Dixon, J.
Kotseridis, Y. *see* Symeou, E.

Labuschagne, M. T. *see* Solomon, K. F.
Launay, M. *see* Gooding, M. J.
Laurentin, H. Interpreting genotype × environment interaction in sesame (*Sesamum indicum* L.), 263
Lin, L.-J. The effects, in sheep, of dietary plant species and animal live weight on the faecal recovery rates of alkanes and the accuracy of intake and diet composition estimates obtained using alkanes as faecal markers, 87
Louvandini, H. *see* Dias, R. S.
Luo, H.-L. *see* Lin, L.-J.

Mack, C. *see* Girma, K.
Madgwick, P. J. *see* Parry, M. A. J.
Malo Ladrero, C. M. *see* Smith, D. G.
Matthews, D. I. *see* Jess, S.
Mayes, R. W. *see* Smith, D. G.
Michalk, D. L. *see* Kemp, D. R.
Miralles, D. J. Sink limitations to yield in wheat: how could it be reduced, 139
Mligo, J. K. Productivity and optimum plant density of pigeonpea in different environments in Tanzania, 343
Monti, M. *see* Gooding, M. J.
Montilla, D. *see* Laurentin, H.
Morse, S. Isolating the 'farmer' effect as a component of the advantage of growing genetically modified varieties in developing countries: a Bt cotton case study from Jalgaon, India, 491

Naseri, H. *see* Jafari, A.
Nassar, N. M. A. Cassava improvement: challenges and impacts, 163
Nikkhah, A. *see* Fathi Nasri, M. H.

Omoigui, L. O. Response of low-N pool maize population to nitrogen uptake and use efficiency after three cycles of full-sib recurrent selection, 481
Ortiz, R. *see* Nassar, N. M. A.
Ortiz-Monasterio, J. I. Reduced nitrogen and improved farm income for irrigated spring wheat in the Yaqui Valley, Mexico, using sensor based nitrogen management, 215

Parry, M. A. J. Prospects for increasing photosynthesis by overcoming the limitations of Rubisco, 31
Pattanaik, A. K. Influence of iodine on nutritional, metabolic and immunological response of goats fed *Leucaena leucocephala* leaf meal diet, 395
Paveley, N. D. *see* Beed, F. D.
Peltonen-Sainio, P. Declining rapeseed yield in Finland: how, why and what next? 587
Peltonen-Sainio, P. *see* Rajala, A.
Pleasants, A. B. The distribution of urine deposited on a pasture from grazing animals, 81
Portilho, F. P. *see* Dias, R. S.
Prache, S. Developing a diet authentication system from the composition of milk and meat in sheep: a review, 435
Pristeri, A. *see* Gooding, M. J.

Qi, A. *see* Jaggard, K. W.

Rajala, A. Within-field variation in grain yield, yield components and quality traits of two-row barley, 445
Ransom, J. K. Sustainable improvement of wheat yield potential: the role of crop management, 55
Raun, W. *see* Girma, K.
Raun, W. *see* Ortiz-Monasterio, J. I.
Reinikainen, P. *see* Rajala, A.
Reynolds, M. Association of source/sink traits with yield, biomass and radiation use efficiency among random sister lines from three wheat crosses in a high yield environment, 3
Reynolds, M. P. Challenges to international wheat improvement, 223
Reynolds, M. P. *see* Brennan, J. P.
Reynolds, M. P. *see* Foulkes, M. J.
Reynolds, M. P. *see* Vargas, M.

ROMEO, M. *see* GOODING, M. J.
ROSENFELD, A. B. *see* STALHAM, M. A.
RUSKE, R. *see* GOODING, M. J.

SAYRE, K. *see* GUPTA, R.
SCHATZ, B. G. *see* RANSOM, J. K.
SEMENOV, M. A. *see* JAGGARD, K. W.
SHEARMAN, V. J. *see* FOULKES, M. J.
SHORTEN, P. R *see* PLEASANTS, A. B.
SHU, B. *see* LIN, L.-J.
SIELING, K. *see* HENKE, J.
SIM, L. C. The influence of winter oilseed rape (*Brassica napus* ssp. *oleifera* var. *biennis*) canopy size on grass weed growth and grass weed seed return, 313
SIM, L. C. The influence of winter oilseed rape (*Brassica napus* ssp. *oleifera* var. *biennis*) cultivar and grass genotype on the competitive balance between crop and grass weeds, 329
SINCLAIR, L. A. Nutritional manipulation of the fatty acid composition of sheep meat: a review, 419
SKAKLE, J. M. S. *see* BROWNE, M. P.
SLAFER, G. A. *see* MIRALLES, D. J.
SMITH, D. G. Validating the alkane pair technique to estimate dry matter intake in equids, 273
SNAPE, J. W. *see* FOULKES, M. J.
SNELL, R. *see* BENNETT, S. J.
SOLIE, J. *see* GIRMA, K.
SOLOMON, K. F. Estimates of heterosis and association of genetic distance with heterosis in durum wheat under different moisture regimes, 239
STALHAM, M. A. Effects of soil compaction in potato (*Solanum tuberosum*) crops, 295
STEAR, M. J. *see* VAGENAS, D.
SUN, Y. *see* JI, B.
SYLVESTER-BRADLEY, R. *see* BEED, F. D
SYLVESTER-BRADLEY, R. *see* FOULKES, M. J.
SYMEOU, E. A. Simple method for analysing the major volatile compounds of Asyrtiko wines subjected to prefermentative skin maceration, 577

TARAWALI, S. A. *see* EWANSIHA, S. U.
TAYLOR, R. *see* GIRMA, K.
THAMMACHAROEN, S. *see* CHAIYABUTR, N.
TORBERT, H. A. *see* KING, K. W.

VAGENAS, D. Estimation of heritabilities and correlations between repeated faecal egg count measurements in lambs facing natural nematode parasite challenge, using a random regression model, 501
VALIZADEH, R. *see* FATHI NASRI, M. H.
VAN GINKEL, M. *see* BRENNAN, J. P.
VARGAS, M. *see* REYNOLDS, M.
VARGAS, M. Structural equation modelling for studying genotype × environment interactions of physiological traits affecting yield in wheat, 151
VILJOEN, C. D. *see* SOLOMON, K. F.
VITTI, D. M. S. S. *see* DIAS, R. S.
VON FRAGSTEIN, P. *see* GOODING, M. J.

WAKE, G. C. *see* PLEASANTS, A. B
WAN, J. *see* JI, B.
WHITE, I. M. S. *see* VAGENAS, D.
WHITE, J. W. *see* HODSON, D. P.
WILDE, C. J. *see* BROWNE, M. P.
WILHELMSON, A. *see* RAJALA, A.
WRIGHT, D. *see* BENNETT, S. J.

YANG, S. *see* JI, B.
YULE, H. H. *see* SMITH, D. G.

ZHANG, Y.-J. *see* LIN, L.-J.

Index of Subjects

Alkanes
The effects, in sheep, of dietary plant species and animal live weight on the faecal recovery rates of alkanes and the accuracy of intake and diet composition estimates obtained using alkanes as faecal markers (Lin *et al.*), 87

Ammonium
Nitrate and ammonium losses from surface-applied organic and inorganic fertilizers (King and Torbert), 385

Barley
Within-field variation in grain yield, yield components and quality traits of two-row barley (Rajala *et al.*), 445

Bean
Winter survival of pea, faba bean and white lupin cultivars in contrasting Italian locations and sowing times, and implications for selection (Annicchiarico and Iannucci), 611

Beef
X-ray diffraction patterns and anatomical properties of claw tissues of beef and dairy cattle (Browne *et al.*), 623

Biomass
Association of source/sink traits with yield, biomass and radiation use efficiency among random sister lines from three wheat crosses in a high yield environment (Reynolds *et al.*), 3

Blood metabolites
Effect of raw or roasted whole soybeans on early lactational performance and ruminal and blood metabolites in Iranian cows (Fathi Nasri *et al.*), 529

Boron
Boron application affects seed yield and seed quality of sugar beets (Dordas *et al.*), 377

Bovine claw
Pigmentation, impression hardness and the presence of melanosomes in bovine claw tissue (Hepburn *et al.*), 283

Bt cotton
Isolating the 'farmer' effect as a component of the advantage of growing genetically modified varieties in developing countries: a Bt cotton case study from Jalgaon, India (Morse *et al.*), 491

Canopy
The influence of winter oilseed rape (*Brassica napus* ssp. *oleifera* var. *biennis*) canopy size on grass weed growth and grass weed seed return (Sim *et al.*), 313

Cassava
Cassava improvement: challenges and impacts (Nassar and Ortiz), 163

Cattle
Effects of long-term exogenous bovine somatotropin on water metabolism and milk yield in crossbred Holstein cattle (Chaiyabutr *et al.*), 173
Influence of short-term *Leucaena leucocephala* feeding on milk yield and its composition, thyroid hormones, enzyme activity, and secretion of mimosine and its metabolites in milk of cattle (Ghosh *et al.*), 407
X-ray diffraction patterns and anatomical properties of claw tissues of beef and dairy cattle (Browne *et al.*), 623

Claw
Pigmentation, impression hardness and the presence of melanosomes in bovine claw tissue (Hepburn *et al.*), 283
X-ray diffraction patterns and anatomical properties of claw tissues of beef and dairy cattle (Browne *et al.*), 623

Climate change
The impact of climate change on sugarbeet yield in the UK: 1976–2004 (Jaggard *et al.*), 367

Cocksfoot
Genetic variation and correlation among yield and quality traits in cocksfoot (*Dactylis glomerata* L.), Jafari and Naseri, 599

Competitive balance
The influence of winter oilseed rape (*Brassica napus* ssp. *oleifera* var. *biennis*) cultivar and grass genotype on the competitive balance between crop and grass weeds (Sim *et al.*), 329

Conservation agriculture
Conservation agriculture: what is it and why is it important for future sustainable food production? (Hobbs), 127
Conservation agriculture in South Asia (Gupta and Sayre), 207

Cows
Effect of raw or roasted whole soybeans on early lactational performance and ruminal and blood metabolites in Iranian cows (Fathi Nasri *et al.*), 529

Crop improvement
U-impact pathway for diagnosis and impact assessment of crop improvement (Dixon *et al.*), 195

Crop rotation
Impact of uncertainty on the optimum nitrogen fertilization rate and agronomic, ecological and economic factors in an oilseed rape based crop rotation (Henke *et al.*), 455

Cultivar
The influence of winter oilseed rape (*Brassica napus* ssp. *oleifera* var. *biennis*) cultivar and grass genotype on the competitive balance between crop and grass weeds (Sim *et al.*), 329

Dairy
X-ray diffraction patterns and anatomical properties of claw tissues of beef and dairy cattle (Browne *et al.*), 623

***Dactylis glomerata* L.**
Genetic variation and correlation among yield and quality traits in cocksfoot (*Dactylis glomerata* L.), Jafari and Naseri, 599

Desiccant
The importance of time of spraying, desiccant type and harvest time on industrial fibre production from standretted fibre flax (*Linum usitatissimum*) (Bennett *et al.*), 565
Diet
The effects, in sheep, of dietary plant species and animal live weight on the faecal recovery rates of alkanes and the accuracy of intake and diet composition estimates obtained using alkanes as faecal markers (Lin *et al.*), 87
Dry matter intake
Validating the alkane pair technique to estimate dry matter intake in equids (Smith *et al.*), 273
Durum wheat
Estimates of heterosis and association of genetic distance with heterosis in durum wheat under different moisture regimes (Solomon *et al.*), 239
Ectoparasites
A survey of annual pesticide usage during the control of sheep ectoparasites in Northern Ireland, 2005 (Jess *et al.*), 517
Efficiency
Response of low-N pool maize population to nitrogen uptake and use efficiency after three cycles of full-sib recurrent selection (Omoigui *et al.*), 481
Egg
Estimation of the heritabilities and correlations between repeated faecal egg count measurements on lambs facing natural nematode parasite challenge, using a random regression model (Vagenas *et al.*), 501
Equids
Validating the alkane pair technique to estimate dry matter intake in equids (Smith *et al.*), 273
Erucic acid
Inheritance of high oleic acid content in the seed oil of mutant Ethiopian mustard lines and its relationship with erucic acid content (Del Rio-Celestino *et al.*), 353
Environment interactions
Structural equation modelling for studying genotype × environment interactions of physiological traits affecting yield in wheat (Vargas *et al.*), 151
Faecal markers
The effects, in sheep, of dietary plant species and animal live weight on the faecal recovery rates of alkanes and the accuracy of intake and diet composition estimates obtained using alkanes as faecal markers (Lin *et al.*), 87
Faecal recovery
The effects, in sheep, of dietary plant species and animal live weight on the faecal recovery rates of alkanes and the accuracy of intake and diet composition estimates obtained using alkanes as faecal markers (Lin *et al.*), 87
Fatty acid
Nutritional manipulation of the fatty acid composition of sheep meat: a review (Sinclair), 419
Fertilizers
Nitrate and ammonium losses from surface-applied organic and inorganic fertilizers (King and Torbert), 385
Fibre
The importance of time of spraying, desiccant type and harvest time on industrial fibre production from standretted fibre flax (*Linum usitatissimum*) (Bennett *et al.*), 565
Flax
The importance of time of spraying, desiccant type and harvest time on industrial fibre production from standretted fibre flax (*Linum usitatissimum*) (Bennett *et al.*), 565
Genetic progress
Genetic progress in yield potential in wheat: recent advances and future prospects (Foulkes *et al.*), 17
Genetic variation
Genetic variation and correlation among yield and quality traits in cocksfoot (*Dactylis glomerata* L.), Jafari and Naseri, 599
Genetically modified
Isolating the 'farmer' effect as a component of the advantage of growing genetically modified varieties in developing countries: a Bt cotton case study from Jalgaon, India (Morse *et al.*), 491
Genotype
Structural equation modelling for studying genotype × environment interactions of physiological traits affecting yield in wheat (Vargas *et al.*), 151
Goats
Influence of iodine on nutritional, metabolic and immunological response of goats fed *Leucaena leucocephala* leaf meal diet (Pattanaik *et al.*), 395
Grass
The influence of winter oilseed rape (*Brassica napus* ssp. *oleifera* var. *biennis*) canopy size on grass weed growth and grass weed seed return (Sim *et al.*), 313
The influence of winter oilseed rape (*Brassica napus* ssp. *oleifera* var. *biennis*) cultivar and grass genotype on the competitive balance between crop and grass weeds (Sim *et al.*), 329
Grassland
Towards sustainable grassland and livestock management (Kemp and Michalk), 543
Grazing
The distribution of urine deposited on a pasture from grazing animals (Pleasants *et al.*), 81
Harvest time
The importance of time of spraying, desiccant type and harvest time on industrial fibre production from standretted fibre flax (*Linum usitatissimum*) (Bennett *et al.*), 565
Heritabilities
Estimation of the heritabilities and correlations between repeated faecal egg count measurements on lambs facing natural nematode parasite challenge, using a random regression model (Vagenas *et al.*), 501
Heterosis
Estimates of heterosis and association of genetic distance with heterosis in durum wheat under different moisture regimes (Solomon *et al.*), 239
Holstein cattle
Effects of long-term exogenous bovine somatotropin on water metabolism and milk yield in crossbred Holstein cattle (Chaiyabutr *et al.*), 173
Impression hardness
Pigmentation, impression hardness and the presence of melanosomes in bovine claw tissue (Hepburn *et al.*), 283
Intercropping
Intercropping with pulses to concentrate nitrogen and sulphur in wheat (Gooding *et al.*), 469

Iodine
Influence of iodine on nutritional, metabolic and immunological response of goats fed *Leucaena leucocephala* leaf meal diet (Pattanaik *et al.*), 395
Irrigated
Reduced nitrogen and improved farm income for irrigated spring wheat in the Yaqui Valley, Mexico, using sensor based nitrogen management (Ortiz-Monasterio and Raun), 215
Lablab purpureus
Potential of *Lablab purpureus* accessions for crop-livestock production in the West African savanna (Ewansiha *et al.*), 229
Lactational performance
Effect of raw or roasted whole soybeans on early lactational performance and ruminal and blood metabolites in Iranian cows (Fathi Nasri *et al.*), 529
Lambs
Estimation of the heritabilities and correlations between repeated faecal egg count measurements on lambs facing natural nematode parasite challenge, using a random regression model (Vagenas *et al.*), 501
Phosphorus kinetics in lambs fed different levels of dicalcium phosphate (Dias *et al.*), 509
Leucaena leucocephala
Influence of iodine on nutritional, metabolic and immunological response of goats fed *Leucaena leucocephala* leaf meal diet (Pattanaik *et al.*), 395
Influence of short-term *Leucaena leucocephala* feeding on milk yield and its composition, thyroid hormones, enzyme activity, and secretion of mimosine and its metabolites in milk of cattle (Ghosh *et al.*), 407
Light
Predictability of wheat growth and yield in light-limited conditions (Beed *et al.*), 63
Lupin
Winter survival of pea, faba bean and white lupin cultivars in contrasting Italian locations and sowing times, and implications for selection (Annicchiarico and Iannucci), 611
Maize
Response of low-N pool maize population to nitrogen uptake and use efficiency after three cycles of full-sib recurrent selection (Omoigui *et al.*), 481
Manipulation
Nutritional manipulation of the fatty acid composition of sheep meat: a review (Sinclair), 419
Meat
Nutritional manipulation of the fatty acid composition of sheep meat: a review (Sinclair), 419
Developing a diet authentication system from the composition of milk and meat in sheep: a review (Prache), 435
Melanosomes
Pigmentation, impression hardness and the presence of melanosomes in bovine claw tissue (Hepburn *et al.*), 283
Method
A simple method for analysing the major volatile compounds of Asyrtiko wines subjected to pre-fermentative skin maceration (Symeou *et al.*), 577
Milk
Influence of short-term *Leucaena leucocephala* feeding on milk yield and its composition, thyroid hormones, enzyme activity, and secretion of mimosine and its metabolites in milk of cattle (Ghosh *et al.*), 407
Developing a diet authentication system from the composition of milk and meat in sheep: a review (Prache), 435
Milk yield
Effects of long-term exogenous bovine somatotropin on water metabolism and milk yield in crossbred Holstein cattle (Chaiyabutr *et al.*), 173
Influence of short-term *Leucaena leucocephala* feeding on milk yield and its composition, thyroid hormones, enzyme activity, and secretion of mimosine and its metabolites in milk of cattle (Ghosh *et al.*), 407
Mimosine
Influence of short-term *Leucaena leucocephala* feeding on milk yield and its composition, thyroid hormones, enzyme activity, and secretion of mimosine and its metabolites in milk of cattle (Ghosh *et al.*), 407
Moisture
Estimates of heterosis and association of genetic distance with heterosis in durum wheat under different moisture regimes (Solomon *et al.*), 239
Mustard
Inheritance of high oleic acid content in the seed oil of mutant Ethiopian mustard lines and its relationship with erucic acid content (Del Rio-Celestino *et al.*), 353
Nitrate
Nitrate and ammonium losses from surface-applied organic and inorganic fertilizers (King and Torbert), 385
Nitrogen
Reduced nitrogen and improved farm income for irrigated spring wheat in the Yaqui Valley, Mexico, using sensor based nitrogen management (Ortiz-Monasterio and Raun), 215
Intercropping with pulses to concentrate nitrogen and sulphur in wheat (Gooding *et al.*), 469
Response of low-N pool maize population to nitrogen uptake and use efficiency after three cycles of full-sib recurrent selection (Omoigui *et al.*), 481
Oilseed rape
The influence of winter oilseed rape (*Brassica napus* ssp. *oleifera* var. *biennis*) canopy size on grass weed growth and grass weed seed return (Sim *et al.*), 313
The influence of winter oilseed rape (*Brassica napus* ssp. *oleifera* var. *biennis*) cultivar and grass genotype on the competitive balance between crop and grass weeds (Sim *et al.*), 329
Impact of uncertainty on the optimum nitrogen fertilization rate and agronomic, ecological and economic factors in an oilseed rape based crop rotation (Henke *et al.*), 455
Oleic acid
Inheritance of high oleic acid content in the seed oil of mutant Ethiopian mustard lines and its relationship with erucic acid content (Del Rio-Celestino *et al.*), 353
Optimum nitrogen
Impact of uncertainty on the optimum nitrogen fertilization rate and agronomic, ecological and economic factors in an oilseed rape based crop rotation (Henke *et al.*), 455
Parasite
Estimation of the heritabilities and correlations between repeated faecal egg count measurements on lambs

facing natural nematode parasite challenge, using a random regression model (Vagenas *et al.*), 501

Pasture
The distribution of urine deposited on a pasture from grazing animals (Pleasants *et al.*), 81

Pea
Winter survival of pea, faba bean and white lupin cultivars in contrasting Italian locations and sowing times, and implications for selection (Annicchiarico and Iannucci), 611

Pesticide
A survey of annual pesticide usage during the control of sheep ectoparisites in Northern Ireland, 2005 (Jess *et al.*), 517

Phosphorus
Phosphorus kinetics in lambs fed different levels of dicalcium phosphate (Dias *et al.*), 509

Photosynthesis
Prospects for increasing photosynthesis by overcoming the limitations of Rubisco (Parry *et al.*), 31

Physiological basis
Understanding the physiological basis of yield potential in wheat (Fischer), 99

Physiological traits
Structural equation modelling for studying genotype × environment interactions of physiological traits affecting yield in wheat (Vargas *et al.*), 151

Pigeonpea
Productivity and optimum plant density of pigeonpea in different environments in Tanzania (Mligo and Craufurd), 343

Pigmentation
Pigmentation, impression hardness and the presence of melanosomes in bovine claw tissue (Hepburn *et al.*), 283

Plant density
Productivity and optimum plant density of pigeonpea in different environments in Tanzania (Mligo and Craufurd), 343

Potato
Effects of soil compaction in potato (*Solanum tuberosum*) crops (Stalham *et al.*), 295

Production systems
Use of spatial analyses for global characterization of wheat-based production systems (Hodson and White), 115

Pulses
Intercropping with pulses to concentrate nitrogen and sulphur in wheat (Gooding *et al.*), 469

Quality
Boron application affects seed yield and seed quality of sugar beets (Dordas *et al.*), 377
Within-field variation in grain yield, yield components and quality traits of two-row barley (Rajala *et al.*), 445
Genetic variation and correlation among yield and quality traits in cocksfoot (*Dactylis glomerata* L.) (Jafari and Naseri), 599

Radiation use efficiency
Association of source/sink traits with yield, biomass and radiation use efficiency among random sister lines from three wheat crosses in a high yield environment (Reynolds *et al.*), 3

Rapeseed
Declining rapeseed yields in Finland: how, why and what next? (Peltonen-Sainio *et al.*), 587

Recurrent selection
Response of low-N pool maize population to nitrogen uptake and use efficiency after three cycles of full-sib recurrent selection (Omoigui *et al.*), 481

Rice
Artificial neural networks for rice yield prediction in mountainous regions (Ji *et al.*), 249

Rubisco
Prospects for increasing photosynthesis by overcoming the limitations of Rubisco (Parry *et al.*), 31

Ruminal
Effect of raw or roasted whole soybeans on early lactational performance and ruminal and blood metabolites in Iranian cows (Fathi Nasri *et al.*), 529

Selection
An economic assessment of the use of physiological selection for stomatal aperture-related traits in the CIMMYT wheat breeding programme (Brennan *et al.*), 187
Winter survival of pea, faba bean and white lupin cultivars in contrasting Italian locations and sowing times, and implications for selection (Annicchiarico and Iannucci), 611

Sesame
Interpreting genotype × environment interaction in sesame (*Sesanum indicum* L.) (Laurentin *et al.*), 263

Sesamum indicum
Interpreting genotype × environment interaction in sesame (*Sesanum indicum* L.) (Laurentin *et al.*), 263

Sheep
The effects, in sheep, of dietary plant species and animal live weight on the faecal recovery rates of alkanes and the accuracy of intake and diet composition estimates obtained using alkanes as faecal markers (Lin *et al.*), 87
Developing a diet authentication system from the composition of milk and meat in sheep: a review (Prache), 435
A survey of annual pesticide usage during the control of sheep ectoparisites in Northern Ireland, 2005 (Jess *et al.*), 517

Sheep meat
Nutritional manipulation of the fatty acid composition of sheep meat: a review (Sinclair), 419

Sink limitations
Sink limitations to yield in wheat: how could it be reduced? (Miralles and Slafer), 139

Soil compaction
Effects of soil compaction in potato (*Solanum tuberosum*) crops (Stalham *et al.*), 295

Somatotropin
Effects of long-term exogenous bovine somatotropin on water metabolism and milk yield in crossbred Holstein cattle (Chaiyabutr *et al.*), 173

Source/sink traits
Association of source/sink traits with yield, biomass and radiation use efficiency among random sister lines from three wheat crosses in a high yield environment (Reynolds *et al.*), 3

Sowing times
Winter survival of pea, faba bean and white lupin cultivars in contrasting Italian locations and sowing times, and implications for selection (Annicchiarico and Iannucci), 611

Soybeans
Effect of raw or roasted whole soybeans on early lactational performance and ruminal and blood metabolites in Iranian cows (Fathi Nasri *et al.*), 529
Spatial analyses
Use of spatial analyses for global characterization of wheat-based production systems (Hodson and White), 115
Spraying
The importance of time of spraying, desiccant type and harvest time on industrial fibre production from stand-retted fibre flax (*Linum usitatissimum*) (Bennett *et al.*), 565
Stomatal aperture
An economic assessment of the use of physiological selection for stomatal aperture-related traits in the CIMMYT wheat breeding programme (Brennan *et al.*), 187
Sugar beets
Boron application affects seed yield and seed quality of sugar beets (Dordas *et al.*), 377
Sugarbeet yield
The impact of climate change on sugarbeet yield in the UK: 1976–2004 (Jaggard *et al.*), 367
Sulphur
Intercropping with pulses to concentrate nitrogen and sulphur in wheat (Gooding *et al.*), 469
Sustainable
Conservation agriculture: what is it and why is it important for future sustainable food production? (Hobbs), 127
Towards sustainable grassland and livestock management (Kemp and Michalk), 543
Thyroid
Influence of short-term *Leucaena leucocephala* feeding on milk yield and its composition, thyroid hormones, enzyme activity, and secretion of mimosine and its metabolites in milk of cattle (Ghosh *et al.*), 407
Urine
The distribution of urine deposited on a pasture from grazing animals (Pleasants *et al.*), 81
Volatile compounds
A simple method for analysing the major volatile compounds of Asyrtiko wines subjected to pre-fermentative skin maceration (Symeou *et al.*), 577
Weed
The influence of winter oilseed rape (*Brassica napus* ssp. *oleifera* var. *biennis*) canopy size on grass weed growth and grass weed seed return (Sim *et al.*), 313
Wheat
Association of source/sink traits with yield, biomass and radiation use efficiency among random sister lines from three wheat crosses in a high yield environment (Reynolds *et al.*), 3
Genetic progress in yield potential in wheat: recent advances and future prospects (Foulkes *et al.*), 17
Improving estimation of N top-dressing by addressing temporal variability in winter wheat (Girma *et al.*), 45
Sustainable improvement of wheat yield potential: the role of crop management (Ransom *et al.*), 55
Predictability of wheat growth and yield in light-limited conditions (Beed *et al.*), 63
Understanding the physiological basis of yield potential in wheat (Fischer), 99
Use of spatial analyses for global characterization of wheat-based production systems (Hodson and White), 115
Sink limitations to yield in wheat: how could it be reduced? (Miralles and Slafer), 139
Structural equation modelling for studying genotype × environment interactions of physiological traits affecting yield in wheat (Vargas *et al.*), 151
Reduced nitrogen and improved farm income for irrigated spring wheat in the Yaqui Valley, Mexico, using sensor based nitrogen management (Ortiz-Monasterio and Raun), 215
Estimates of heterosis and association of genetic distance with heterosis in durum wheat under different moisture regimes (Solomon *et al.*), 239
Boron application affects seed yield and seed quality of sugar beets (Dordas *et al.*), 377
Intercropping with pulses to concentrate nitrogen and sulphur in wheat (Gooding *et al.*), 469
Wheat breeding
An economic assessment of the use of physiological selection for stomatal aperture-related traits in the CIMMYT wheat breeding programme (Brennan *et al.*), 187
Wheat improvement
Challenges to international wheat improvement (Reynolds *et al.*), 223
Winter survival
Winter survival of pea, faba bean and white lupin cultivars in contrasting Italian locations and sowing times, and implications for selection (Annicchiarico and Iannucci), 611
Wines
A simple method for analysing the major volatile compounds of Asyrtiko wines subjected to pre-fermentative skin maceration (Symeou *et al.*), 577
X-ray diffraction
X-ray diffraction patterns and anatomical properties of claw tissues of beef and dairy cattle (Browne *et al.*), 623
Yield
Association of source/sink traits with yield, biomass and radiation use efficiency among random sister lines from three wheat crosses in a high yield environment (Reynolds *et al.*), 3
Predictability of wheat growth and yield in light-limited conditions (Beed *et al.*), 63
Structural equation modelling for studying genotype × environment interactions of physiological traits affecting yield in wheat (Vargas *et al.*), 151
Artificial neural networks for rice yield prediction in mountainous regions (Ji *et al.*), 249
The impact of climate change on sugarbeet yield in the UK: 1976–2004 (Jaggard *et al.*), 367
Within-field variation in grain yield, yield components and quality traits of two-row barley (Rajala *et al.*), 445
Declining rapeseed yields in Finland: how, why and what next? (Peltonen-Sainio *et al.*), 587
Genetic variation and correlation among yield and quality traits in cocksfoot (*Dactylis glomerata* L.), Jafari and Naseri, 599

Yield components
Within-field variation in grain yield, yield components and quality traits of two-row barley (Rajala *et al.*), 445
Yield potential
Genetic progress in yield potential in wheat: recent advances and future prospects (Foulkes *et al.*), 17
Sustainable improvement of wheat yield potential: the role of crop management (Ransom *et al.*), 55
Understanding the physiological basis of yield potential in wheat (Fischer), 99
Yield prediction
Artificial neural networks for rice yield prediction in mountainous regions (Ji *et al.*), 249